



NEW YORK UROLOGICAL ASSOCIATES, P.C.

212-570-6800

NOEL A. ARMENAKAS, M.D.  
ELI F. LIZZA M.D.

JOHN A. FRACCHIA, M.D.  
CIARA S. MARLEY, M.D.  
JOHN H. WON, M.D.

TRICIA D. GREENE, M.D.  
JON M. RECKLER, M.D.

## TRANSRECTAL ULTRASOUND-PROSTATE BIOPSY

*Assisted Reproductive  
Techniques*

*BPH*

*Clinical Trials*

*Endoscopy*

*Female Urology*

*General Urology*

*Genitourinary  
Reconstruction*

*Laparoscopy*

*Men's Sexual Health*

*Microsurgery (Infertility)*

*Minimally Invasive  
Therapies*

*Robotic Surgery*

*Stone Disease*

*Urinary Diversion*

*Urinary Incontinence*

*Urinary Tract Infections*

*Urologic Oncology*

1. Take a fleet enema the night before the procedure.
2. Take one antibiotic tablet the night before and again two hours before the procedure.
3. No Aspirin, Ibuprofen or similar medications (ADVIL, ALEVE, MOTRIN) for ten days prior to the procedure. (Tylenol may be used)
4. Coumadin and Plavix must be stopped at least four days before the procedure.
5. **Do not urinate for at least three hours prior to the procedure.**  
A full bladder facilitates the study. Eat normally.

245 East 54th Street Suite 2N, New York, NY 10022

Phone: 212-570-6800

Fax: 212-734-7425 and 212-861-7964

[www.nyurological.com](http://www.nyurological.com)